Certificate Number Report Reference Issue Date 20191108-MH63540 MH63540-20190702 2019-NOVEMBER-08

Issued to:

Maincal SA

Av. Eva Peron 1452 Lots 54-55-2121 Perez, Gran Rosario

AR

This is to certify that representative samples of

PROTECTIVE FOOTWEAR
See next page for models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety:

ASTM F2413-2018, Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear / ASTM F2412-2018a, Standard Test Methods for Foot

Protection

Additional Information:

See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LL

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at www.ul.com/contactus



 Certificate Number
 20191108-MH63540

 Report Reference
 MH63540-20190702

 Issue Date
 2019-NOVEMBER-08

The following models meet the performance requirements of ASTM Specification F2413-18 as tested in accordance with ASTM Test Methods F2412-18a for the following safety hazard(s):

Footwear Type by Hazard	Toe Impact Resistant	Toe Compression Resistant	Metatarsal Protective	Conductive Protective	Electric Hazard Resistant	Static Dissipative	Puncture Resistant
Label Identification		С	Mt	CD	EH	SD	PR
ASTM F2413-18 Section	5.2	5.3	5.4	5.5	5.6	5.7	5.8
ASTM F2412-18A Section	5	6	7	8	9	10	11
Models:							
NIZA	X	X					X
NIZA (electrical)	X	Х	VieV	1.\\/ii.	X	in Vin	X
LANDER	Х	X	$V_{n} \Gamma V$	ULAUL	$\mathcal{N}_{A}\Gamma V$	PLACE	Х
LANDER (electrical)	X	Х	-	-)	Χ	$\times \times$	Х
TRACKER	X	Х	V II- V	J. Y.L.	$Y \sqcup_{i} Y$	Ur Y Ur	Х
TRACKER (electrical)	Х	Х			Χ		Х
STORM	X	Х	VieN	7.46	V/ii·V/		X
STORM (electrical)	Х	Х	$\mathcal{N}^{U}\mathcal{L}\mathcal{N}$		Х	ULXUL	Х
BRONZ	X	Х	-			\times	Х
BRONZ (electrical)	X	Х	VII. V	1. VII.	Х	II. VII.	X
DRILL	X	Х	VIV		$\sqrt{-1/2}$	CPVCF	X
DRILL (electrical)	X	Х		7.0	X		X
BARREL	X	Х	$\chi \cup_{i} \chi$			UL X UL	Х
BARREL (electrical)	X	Х			Χ	$\overline{\mathcal{L}}$	Х
AURUM	Х	Х	VII.V	n. Vii.	VII.V	II. VII.	Х
AURUM (electrical)	Х	Х	ノーアン	~ L/A ~ L	Χ	LLVAL	Х
TERRA	X	X		N- /	1		Х
TERRA (electrical)	Х	Х	$Y \cup_{i} Y$	Jr X Ur	Х	Ut X Ut	Х
RANDER	Х	Х					Х
RANDER (electrical)	Х	X	V/ii-\/		Χ	11 \-/11	X



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, plea contact a local UL Customer Service Representative at www.ul.com/contactus



 Certificate Number
 20191108-MH63540

 Report Reference
 MH63540-20190702

 Issue Date
 2019-NOVEMBER-08

Footwear Type by Hazard	Toe Impact Resistant	Toe Compression Resistant	Metatarsal Protective	Conductive Protective	Electric Hazard Resistant	Static Dissipative	Puncture Resistant
Label Identification	V/III V	С	Mt	CD	EH	SD	PR
ASTM F2413-18 Section	5.2	5.3	5.4	5.5	5.6	5.7	5.8
ASTM F2412-18A Section	5	6	7	8	9	10	11
Models:							
SOUL	Χ	X	-		-	\times	X
SOUL (electrical)	X	X	$VU_{1}V$	Ji Y III	X	$U_1 Y U_1$	X
BALI	X	X			V PV		X
BALI (electrical)	X	Х	Vii.\/	7.4	Х		X
CAPRI	Х	X	X ULX		\mathcal{M}^{LL}	OFMOL	Х
CAPRI (electrical)	Х	Х	-		Χ	\times	Χ
HORIZON	Х	X	VII.V	II. VIII.	VIIIV	III-VIII	X
HORIZON (electrical)	X	X		1-/1/1	Χ	CPVCP	X
FRONTIER	X	X		N-/	V/37V		Χ
FRONTIER (electrical)	Х	X) U-	Jr X Ur	Х	ULXUL	Х
CITY	X	X	-	_/-_	_		Χ
CITY (electrical)	Х	Х	VII.V	1. \VII.	Х	II. VII.	X
STREET	Х	Х	$V_{AT}V$	LALL	$V_{A}\Gamma V$	LIVAL	Х
STREET (electrical)	Х	Х		M. -/M	Х	~ .~	Х
MAUI	Х	X	M U- M	Jr X Ur	W Li W	Ur X Ur	Х
MAUI (electrical)	Х	X		2	Χ		Х
TAURO	Х	X	Vie.V	1. \ - /11.	Vis.V	11. 1/11.	X
TAURO (electrical)	Х	X	$\mathcal{N}_{\mathbf{L}}\mathcal{N}$	YLJA YL	Х	PLAPL	Х
TRINAX	Х	X	-	-)	-	$\times \cdot \times$	X
TRINAX (electrical)	Х	X	Y L	Jr Y Ur	Χ	Ur Y Ur	Х
AQUILES	Х	X	1		ハシハ		Х
AQUILES (electrical)	X	X	VieW	7.6	X	(i) \-/(i)	X



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, plei contact a local UL Customer Service Representative at www.ul.com/contactus



 Certificate Number
 20191108-MH63540

 Report Reference
 MH63540-20190702

 Issue Date
 2019-NOVEMBER-08

Footwear Type by Hazard	Toe Impact Resistant	Toe Compression Resistant	Metatarsal Protective	Conductive Protective	Electric Hazard Resistant	Static Dissipative	Puncture Resistant
Label Identification		С	Mt	CD	EH	SD	PR
ASTM F2413-18 Section	5.2	5.3	5.4	5.5	5.6	5.7	5.8
ASTM F2412-18A Section	5	6	7	8	9	10	11
Models:							
APOLO	X	X				$\times \times$	X
APOLO (electrical)	X	X	/U-W	$J_1 Y U_1$	Χ	$U_1 Y U_1$	X
ARGOS	X	X	6				X
ARGOS (electrical)	X	Х	100	77-67	Χ	11 ·/11	X
BRONTES	X	X	ULL	UL X UL	Y uLX	OFMOL	X
BRONTES (electrical)	X	Х	-		Χ	\times	Х
TEUCRO	X	Х	/11-W	LVII.	VIIIV	II. VII.	Х
TEUCRO (electrical)	Х	X	(/ \	b/4 b	Χ	CPACE	X
ARES	X	Х	100	¬-/	V::\		X
ARES (electrical)	X	Х	(U -)(Х	OF X OF	Х
GEA	X	X	-	_/-_		\overline{y}	X
GEA (electrical)	X	X	/11:V	L. VIII.	Χ	11. V/11.	X
ENERGY 410	Х	Х	(L)/("LAL"	Χ	ALVA AL	V.T)
ENERGY 410 (puncture)	Х	Х		-			Х
ENERGY 420	Х	Х	(U-V)	Jr Y Ur	Χ	Ur X Ur	W U-
ENERGY 420 (puncture)	X	X					X
ENERGY 430	X	Х	/ii:\/	1. \v/11.	Χ	11. \/11.	V/11-1
ENERGY 430 (puncture)	Х	X	(LIV	41./4.41.	$V_{A}\Gamma V$	"LA"L	Х
ENERGY 610	X	X	-		Χ	$\times \times$	-
ENERGY 610 (puncture)	Х	X	fill- V	li VIII	YILV	III VIII	Х



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, plea contact a local UL Customer Service Representative at www.ul.com/contactus

